

Your Ultimate Source for OEM Repair Manuals

FactoryManuals.net is a great resource for anyone who wants to save money on repairs by doing their own work. The manuals provide detailed instructions and diagrams that make it easy to understand how to fix a vehicle.

1996 CHEVROLET Astro OEM Service and Repair Workshop Manual

[Go to manual page](#)

Callout	Component Name
	<p>2. Work your way forward disengaging all of the garnish molding clips then pull rearward and towards center console to disengage the clips on the forward vertical wall .</p> <p>3. Reposition the front floor panel carpet as needed.</p>

Sample

Callout	Component Name
	<p>Procedure</p> <p>Use a plastic flat-bladed tool to disengage the front side door trim panel applique from the front side door trim.</p>

Sample

Callout	Component Name
2	<p>Front Side Door Upper Trim Panel Fastener (Qty: 2)</p> <div> CAUTION </div> <div> Caution Refer to Fastener Caution. </div> <div> Tighten </div> <div> 6 N·m (53 lb in) </div>
3	<p>Front Side Door Trim Panel Fastener (Qty: 2)</p> <div> Tighten </div> <div> 6 N·m (53 lb in) </div>
4	<p>Front Side Door Trim Assembly – Driver Side</p> <p>Procedure</p> <ol style="list-style-type: none"> 1. Use the appropriate plastic trim tool to aid in the removal of the door trim. 2. Replace the door trim retainers as needed. 3. Disconnect the electrical connector. 4. Remove the trim panel from the door.

Callout	Component Name
	<div>CAUTION</div> <div>Caution Refer to Fastener Caution.</div> <div><div>Tighten</div><div>6 N·m (53 lb in)</div></div>
2	<div>Front Side Door Trim Panel Fastener (Qty: 2)</div> <div><div>Tighten</div><div>6 N·m (53 lb in)</div></div>
3	<div>Front Side Door Trim Assembly – Passenger Side</div> <div>Procedure<ol style="list-style-type: none">1. Use the appropriate plastic trim tool to aid in the removal of the door trim.2. Replace the door trim retainers as needed.3. Disconnect the electrical connector.4. Remove the trim panel from the door.</div>