


Your Ultimate Source for OEM Repair Manuals

FactoryManuals.net is a great resource for anyone who wants to save money on repairs by doing their own work. The manuals provide detailed instructions and diagrams that make it easy to understand how to fix a vehicle.

1997 VOLVO S90 OEM Service and Repair Workshop Manual

Go to manual page




Torque: M6, 10Nm Remove the screws. Remove the marked part.

WIPER MECHANISM, WINDSHIELD > WIPER MECHANISM, WINDSHIELD [2018-2022] > INSTALLATION

To install, reverse the removal procedure.

WIPER MOTOR, REAR > WIPER MOTOR, REAR [2018-2022] > REMOVAL

NOTE: Removal steps in this procedure may contain installation details.




Torque: M6, 10Nm Remove the screws. Remove the marked part.

WIPER MOTOR, REAR > WIPER MOTOR, REAR [2018-2022] > INSTALLATION

To install, reverse the removal procedure.

12V SOCKET, FLOOR CONSOLE > 12V SOCKET, FLOOR CONSOLE [2018-2022] > REMOVAL

Set the vehicle to Inactive mode, described in user mode. Refer to: USAGE MODE



Remove the marked part.
The part is not to be reused.

12V SOCKET, FLOOR CONSOLE > 12V SOCKET, FLOOR CONSOLE [2018-2022] > INSTALLATION


To install, reverse the removal procedure.

CENTRAL LOCKING SWITCH > CENTRAL LOCKING SWITCH [2018-2022] > REMOVAL


Remove window control switch front. Refer to: WINDOW CONTROL SWITCH FRONT

CENTRAL LOCKING SWITCH > CENTRAL LOCKING SWITCH [2018-2022] > INSTALLATION

To install, reverse the removal procedure.




Remove the nuts.




Remove the screws.

Unhook the cable harness clips.




Install the nuts


Torque: Nut, to BDU, 16Nm



Clean the marked area. Use: Isopropanol,



Mark using a pen



Install the clip(s).