


Your Ultimate Source for OEM Repair Manuals

FactoryManuals.net is a great resource for anyone who wants to save money on repairs by doing their own work. The manuals provide detailed instructions and diagrams that make it easy to understand how to fix a vehicle.


1999 VOLVO C70 OEM Service and Repair Workshop Manual

[Go to manual page](#)




Courtesy of VOLVO CARS CORPORATION

Remove the marked part.




Courtesy of VOLVO CARS CORPORATION

Release the catch.
Repeat on the other side.
Remove the marked part.




Courtesy of VOLVO CARS CORPORATION

Remove the protective film.




Courtesy of VOLVO CARS CORPORATION

Disconnect the connectors.



Courtesy of VOLVO CARS CORPORATION

Remove the cable harness clips.




Courtesy of VOLVO CARS CORPORATION

NOTE: *This step is not necessary when installing a new component.*

NOTE: *Make sure that the component is clean and free of foreign material.*

Install the marked component.




Courtesy of VOLVO CARS CORPORATION

Release the lock.
Hold it down.
Remove the marked part.

REMOTE KEY SLIDER > REMOTE KEY SLIDER [2018-2022] > INSTALLATION

THE FOLLOWING STEPS APPLY IF SLIDER IS MISSING



Courtesy of VOLVO CARS CORPORATION

Disconnect the connector.
Loosen the marked detail.

SIDE OBSTACLE DETECTION CONTROL MODULE LEFT > SIDE OBSTACLE DETECTION CONTROL MODULE LEFT (SODL) [2018-2022] > INSTALLATION


To install, reverse the removal procedure.

NOTE: *The following steps are only necessary when installing a new component.*

Order and download the appropriate software according to: VIDA/Software/Hardware Changes

SIDE OBSTACLE DETECTION CONTROL MODULE RIGHT > SIDE OBSTACLE DETECTION CONTROL MODULE RIGHT (SODR) [2018-2022] > REMOVAL

Set the vehicle to Inactive mode, described in user mode. Refer to: USAGE MODE



Courtesy of VOLVO CARS CORPORATION

Disconnect the connector.