

Your Ultimate Source for OEM Repair Manuals

FactoryManuals.net is a great resource for anyone who wants to save money on repairs by doing their own work. The manuals provide detailed instructions and diagrams that make it easy to understand how to fix a vehicle.


2006 CHEVROLET Celta - 5 doors OEM Service and Repair Workshop Manual

[Go to manual page](#)

YOUR CURRENT VEHICLE

Temperature Valve Actuator Replacement - Right Side

Temperature Valve Actuator Replacement - Right Side



Temperature Valve Actuator Replacement - Right Side

Callout	Component Name
Preliminary Procedure Remove the instrument panel lower airbag bracket. Refer to Instrument Panel Lower Airbag Bracket Replacement .	
1	Temperature Valve Actuator Fastener (Qty: 2)



YOUR CURRENT VEHICLE

Approximate Fluid Capacities

Approximate Fluid Capacities

Refrigerant System Capacities

Application	Specification	
	Metric	US English
Abrupt Refrigerant Loss	60 ml ¹	2.0 oz ¹
Compressor Replacement		
<div>NOTE</div> <div>Note Compressor failure can occur if the oil removed during refrigerant recovery is not replaced. The service compressor is precharged with one of the following specified amounts of PAG oil. Refer to the instruction sheet included with the service compressor.</div>	41 ml ²	1.4 oz ²
Condenser Replacement	30 ml ²	1.0 oz ²
Evaporator Replacement	90 ml ²	3.0 oz ²
Any Line Set (Hose/Tube or Tube Assembly) Replacement	30 ml ²	1.0 oz ²
<ul style="list-style-type: none">Total System PAG Oil Capacity	120.0 ml	4.1 oz
R-134a		



YOUR CURRENT VEHICLE

Fastener Specifications

Fastener Specifications

Single Use Non-Threaded Fasteners/Components

NOTE

Note

*All fasteners/components listed in this table **MUST BE DISCARDED** and replaced with **NEW** after removal.*

Application

Air Conditioning System Sealing Washer

Reusable Threaded Fastener Tightening Specifications

NOTE

Note

All fasteners listed in this table can be reused after removal.

Application	Specification
	Metric (English)
Air Conditioning Compressor and Condenser Hose Bolt	22 N·m (16 lb ft)
Air Conditioning Compressor and Condenser Hose Nut	22 N·m (16 lb ft)

Windshield Defroster Nozzle Fastener

9 N·m (80 lb in)

Sample