


Your Ultimate Source for OEM Repair Manuals


FactoryManuals.net is a great resource for anyone who wants to save money on repairs by doing their own work. The manuals provide detailed instructions and diagrams that make it easy to understand how to fix a vehicle.

2015 VOLVO V40 OEM Service and Repair Workshop Manual

[Go to manual page](#)



Locate relevant marking.
Mark using a pen




Courtesy of VOLVO CARS CORPORATION


Remove the marked part.

Use: Air-powered air saw

VEHICLES WITH TOWBAR, HITCH




Deburr edges



Courtesy of VOLVO CARS CORPORATION

NOTE: Orientation view




Courtesy of VOLVO CARS CORPORATION

Torque: Aluminum wheel rim to wheel hub

- Stage 1: 4Nm
- Stage 2: 50Nm
- Stage 3: 140Nm

MUDFLAPS, FRONT > MUDFLAPS, FRONT [2018-2022] > ACCESSORY INSTALLATION

Equipment



Courtesy of VOLVO CARS CORPORATION

Turn the wheel inwards.




Courtesy of VOLVO CARS CORPORATION


INFORMATION

- Read through all of the instructions before starting installation.
- Notifications and warning texts are for your safety and to minimize the risk of something breaking during installation.
- Ensure that all tools stated in the instructions are available before starting installation.
- Certain steps in the instructions are only presented in the form of images. Explanatory text is also given for more complicated steps.
- In the event of any problems with the instructions or the accessory, contact your local Volvo dealer.

COLOR SYMBOLS



Courtesy of VOLVO CARS CORPORATION



Courtesy of VOLVO CARS CORPORATION

NOTE: This color chart displays (in color print and electronic version) the importance of the different colors used in the images of the method steps.

1. Used for focused component, the component with which you will do something.
2. Used as extra colors when you need to show or differentiate additional parts.
3. Used for attachments that are to be removed/installed. May be screws, clips, connectors, etc.
4. Used when the component is not fully removed from the vehicle but only hung to the side.
5. Used for standard tools and special tools.
6. Used as background color for vehicle components.

REMOVAL