

Your Ultimate Source for OEM Repair Manuals

FactoryManuals.net is a great resource for anyone who wants to save money on repairs by doing their own work. The manuals provide detailed instructions and diagrams that make it easy to understand how to fix a vehicle.

2022 Jeep Grand Cherokee L Manual - Service & Repair Guide

[Go to manual page](#)


Pin	Cicuit	Cicuit Function	Color	Gauge/Size	Option
11	D826	LIN BUS	WH	0.35	
11	N0	NO CONNECT	NA	0	
12	F522	LAMP DRIVER	OG	0.35	
12	N0	NO CONNECT	NA	0	
13	D512	RETURN	GY	0.35	
14	Z921	GROUND	BK	0.50	
15	M5	LAMP DRIVER	WH	0.35	
16	M10	FEED	YE	0.35	

XY611A

HARNESS_CONNECTOR No:Y611A		Option:Standard
Connector Details		Harness Family
Color	BLACK	
Part Number	6098-7955	JUMPER_DOOR_TRIM_DRIVER
Repair Kit Part Number	68499650AA	JUMPER_DOOR_TRIM_DRIVER
Part Description		JUMPER_DOOR_TRIM_DRIVER
Cavity Count	16	JUMPER_DOOR_TRIM_DRIVER
Location View	Location View	JUMPER_DOOR_TRIM_DRIVER


Pin	Cicuit	Cicuit Function	Color	Gauge/Size	Option
JUMPER_DOOR_TRIM_DRIVER					
1	M34	RETURN	YE	0.35	

Connector Views




Wire Insertion Side:

Connector Views




Pin	Circuit	Circuit Function	Color	Gauge/Size	Option
FUEL_TANK					
A	N14	RETURN	VT	2.0	
B	G109	SENSOR RETURN	BK	0.50	
C	N4	LEVEL SIGNAL	DB	0.50	
D	N5	LEVEL SIGNAL 2	DB	0.50	
G	N13	PWM CONTROL	DB	2.0	
H	N8	POWER SUPPLY	DB	0.50	
J	N7	PRESSURE SIGNAL	DB	0.50	
K	N10	SENSOR RETURN	DB	0.50	
L	K31	PRESSURE SIGNAL	BN	0.50	

Connector Views




Wire Insertion Side:

Connector Views



1


Isometric View:



Wire Insertion Side:

Sample

Connector Views



Wire Insertion Side:

Connector Views



Wire Insertion Side:

YOUR CURRENT VEHICLE

Xy701

XY701

HARNESS_CONNECTOR No:X701A		Option:Standard
Connector Details		Harness Family
Color	BLACK	
Part Number	6098-8528	Body
Repair Kit Part Number	TBD 19HD-5	Body
Part Description		Body
Cavity Count	21	Body
Location View	Location View	Body

Pin	Cicuit	Cicuit Function	Color	Gauge/Size	Option
Body					
10A	P236	LOCK DRIVER	GN	0.35	
11A	X393	SPEAKER (-)	DG	0.75	
12A	D920	ANTENNA SIGNAL	GY	0.35	
13A	D921	RETURN	GY	0.35	
14A	P375	LOCK STATUS SIGNAL	GN	0.35	